



T-type-i 110

For wood doors



- Opening angle
- Drilling diameter for hinge cup
- Drilling depth D
- Drilling depth D for PressTo
- Hinge on plate mounting system



110°
35mm
12mm
13mm
3Way snap-on



Technical details




Cup type	Interaxis 45mm	Interaxis 48mm
Item number	701-0AT0-054	701-0AS0-054
	701-0AT1-054	701-0AS1-054
		701-0AT4-054
	701-0AT6-054	
Drilling patterns for hinge cups → see page 2.17		

Cranking
0mm



150 Pcs Made of steel

Cranking
5mm



150 Pcs Made of steel

	701-0BT0-054	701-0BS0-054
	701-0BT1-054	701-0BS1-054
	701-0BT4-054	701-0BS4-054
	701-0BT6-054	
Drilling patterns for hinge cups → see page 2.17		

Mounting plates



Cam adjustable cruciform mounting plate
→ see page 2.83



Cruciform mounting plate
→ see page 2.85



Cam adjustable linear mounting plate
→ see page 2.83



Face frame adapter plate
→ see page 2.85

Hinge cup screws If not pre-mounted



820-6328-050

10000 Pcs

Accessories




Cover caps for hinge arm
→ see page 2.177

Legend of hinge cup symbols




Screw-on ready
← screws



Machine insertion ready



EasyFix system




PressTo Tool-less mounting




Hinge angle restrictor
→ see page 2.175

Damping adjustment





Door adjustment




For further explanation → see page 2.25

For further explanation → see pages 2.22-2.24

Mounting details



Mounting plate drilling distance






Mounting plate thickness table

For further explanation → see page 2.13

X	13	14	15	16	17	18	19
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0
							D

$D=13+K-X$

Drawings show application on D=0mm mounting plate



X	8	9	10	11	12	13	14
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0
							D

$D=8+K-X$

Drawings show application on D=0mm mounting plate


Push opening



PushOpen Solutions
→ see pages 2.199-2.204

Door clearance at R=1mm

For further explanation → see page 2.14






V	16	17	18	19	20	21	22	23	24	25	26
3	0.5	0.7	0.8	1	1.2	1.5	1.7	2.1	2.8	4.1	5.5
4	0.4	0.7	0.8	1	1.2	1.5	1.7	2.1	2.3	3.1	4.5
K											
5	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	3.5
6	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	2.9
											F _{MIN}

Gap Z_{MIN}=0

T-type-i 110

For wood doors



- Opening angle
- Drilling diameter for hinge cup
- Drilling depth D
- Drilling depth D for PressTo
- Hinge on plate mounting system





- 110°
- 35mm
- 12mm
- 13mm
- 3Way snap-on



Technical details




Cup type	Interaxis 45mm	Interaxis 48mm
Item number	701-OCT0-054	701-OCS0-054
Item number	701-OCT1-054	701-OCS1-054
	701-OCT4-054	701-OCS4-054
PressTo	701-OCT6-054	
Drilling patterns for hinge cups → see page 2.17		

Cranking
9mm



150 Pcs Made of steel

Cranking
17mm



150 Pcs Made of steel

	701-ODT0-054	701-ODS0-054
	701-ODT1-054	701-ODS1-054
EasyFix	701-ODT4-054	701-ODS4-054
PressTo	701-ODT6-054	
Drilling patterns for hinge cups → see page 2.17		

Mounting plates



Cam adjustable cruciform mounting plate
→ see page 2.83



Cruciform mounting plate
→ see page 2.85



Cam adjustable linear mounting plate
→ see page 2.83



Face frame adapter plate
→ see page 2.85

Hinge cup screws

If not pre-mounted



820-6328-050

10000 Pcs

Accessories



Cover caps for hinge arm
→ see page 2.177

Legend of hinge cup symbols



Screw-on ready
← screws



Machine insertion ready



EasyFix system




PressTo Tool-less mounting




Hinge angle restrictor
→ see page 2.175

Damping adjustment



Door adjustment



For further explanation → see page 2.25


For further explanation → see pages 2.22-2.24

Mounting details

Mounting plate drilling distance

Mounting plate thickness table


For further explanation → see page 2.13



X	4	5	6	7	8	9	10
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0
							D

$D=4+K-X$

Drawings show application on D=0mm mounting plate



V	16	17	18	19	20	21	22	23	24
3	0	0	0	0	1	1	1	1	2
4	1	1	1	1	2	2	2	2	3
K									
5	2	2	2	2	3	3	3	3	4
6	3	3	3	3	4	4	4	4	
									D

$D=-4+K+F$

Drawings show application on D=2mm mounting plate


Push opening



PushOpen Solutions
→ see pages 2.199-2.204

Door clearance at R=1mm

For further explanation → see page 2.14






V	16	17	18	19	20	21	22	23	24	25	26
3	0.5	0.7	0.8	1	1.2	1.5	1.7	2.1	2.8	4.1	5.5
4	0.4	0.7	0.8	1	1.2	1.5	1.7	2.1	2.3	3.1	4.5
K											
5	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	3.5
6	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	2.9
											F _{MIN}

Gap Z_{MIN}=0

T-type 110

For wood doors



- Opening angle
- Drilling diameter for hinge cup
- Drilling depth D
- Drilling depth D for PressTo
- Hinge on plate mounting system



- 110°
- 35mm
- 12mm
- 13mm
- 3Way snap-on



Technical details

Cup type	Interaxis 45mm	Interaxis 48mm
	Item number	Item number

Cranking
0mm






	702-0AK0-054	702-0AL0-054
	702-0AK1-054	702-0AL1-054
	702-0AK4-054	702-0AL4-054
	702-0AK6-054	

Drilling patterns for hinge cups → see page 2.17

150 Pcs

Made of steel

Cranking
5mm



	702-0BK0-054	702-0BL0-054
	702-0BK1-054	702-0BL1-054
	702-0BK4-054	702-0BL4-054
	702-0BK6-054	

Drilling patterns for hinge cups → see page 2.17

150 Pcs

Made of steel

Mounting plates



Cam adjustable cruciform mounting plate
→ see page 2.83



Cruciform mounting plate
→ see page 2.85



Cam adjustable linear mounting plate
→ see page 2.83



Face frame adapter plate
→ see page 2.85

Hinge cup screws If not pre-mounted



820-6328-050

10000 Pcs

Accessories



Cover caps for hinge arm
→ see page 2.177

Legend of hinge cup symbols





Screw-on ready
← screws



Machine insertion ready



EasyFix system




PressTo Tool-less mounting




Hinge angle restrictor
→ see page 2.175

Door adjustment




For further explanation → see pages 2.22-2.24

Mounting details



Drawings show application on D=0mm mounting plate

Mounting plate drilling distance




Mounting plate thickness table


For further explanation → see page 2.13

X	13	14	15	16	17	18	19
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0
							D

$D=13+K-X$



Drawings show application on D=0mm mounting plate



x	8	9	10	11	12	13	14
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0
							D

$D=8+K-X$

Soft closing systems



Glissando TT
→ see page 2.189



Glissando CR
→ see page 2.195


Push opening



PushOpen Solutions
→ see pages 2.199-2.204

Door clearance at R=1mm

For further explanation → see page 2.14





V	16	17	18	19	20	21	22	23	24	25	26
3	0.5	0.7	0.8	1	1.2	1.5	1.7	2.1	2.8	4.1	5.5
4	0.4	0.7	0.8	1	1.2	1.5	1.7	2.1	2.3	3.1	4.5
K											
5	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	3.5
6	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	2.9
											F _{MIN}

Gap Z_{MIN}=0


T-type 110

For wood doors



- Opening angle
- Drilling diameter for hinge cup
- Drilling depth D
- Drilling depth D for PressTo
- Hinge on plate mounting system




- 110°
- 35mm
- 12mm
- 13mm
- 3Way snap-on



Technical details

Cup type	Interaxis 45mm	Interaxis 48mm
Item number		

Cranking
9mm





	702-0CK0-054	702-0CL0-054
	702-0CK1-054	702-0CL1-054
	702-0CK4-054	702-0CL4-054
	702-0CK6-054	

Drilling patterns for hinge cups → see page 2.17

150 Pcs

Made of steel

Cranking
17mm



	702-0DK0-054	702-0DL0-054
	702-0DK1-054	702-0DL1-054
	702-0DK4-054	702-0DL4-054
	702-0DK6-054	

Drilling patterns for hinge cups → see page 2.17

150 Pcs

Made of steel

Mounting plates



Cam adjustable cruciform mounting plate
→ see page 2.83



Cruciform mounting plate
→ see page 2.85




Cam adjustable linear mounting plate
→ see page 2.83



Face frame adapter plate
→ see page 2.85

Hinge cup screws

If not pre-mounted



820-6328-050

10000 Pcs

Accessories



Cover caps for hinge arm
→ see page 2.177

Legend of hinge cup symbols





Screw-on ready
← screws



Machine insertion ready



EasyFix system




PressTo Tool-less mounting




Hinge angle restrictor
→ see page 2.175

Door adjustment




For further explanation → see pages 2.22-2.24

Mounting details



Drawings show application on D=0mm mounting plate

Mounting plate drilling distance




Mounting plate thickness table


For further explanation → see page 2.13

X	4	5	6	7	8	9	10
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0
							D

$D=4+K-X$



Drawings show application on D=2mm mounting plate



V	16	17	18	19	20	21	22	23	24
3	0	0	0	0	1	1	1	1	2
4	1	1	1	1	2	2	2	2	3
K									
5	2	2	2	2	3	3	3	3	4
6	3	3	3	3	4	4	4	4	
									D

$D=-4+K+F$

Soft closing systems



Glissando TT
→ see page 2.189



Glissando CR
→ see page 2.195


Push opening



PushOpen Solutions
→ see pages 2.199-2.204

Door clearance at R=1mm

For further explanation → see page 2.14



V	16	17	18	19	20	21	22	23	24	25	26
3	0.5	0.7	0.8	1	1.2	1.5	1.7	2.1	2.8	4.1	5.5
4	0.4	0.7	0.8	1	1.2	1.5	1.7	2.1	2.3	3.1	4.5
K											
5	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	3.5
6	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	2.9
											F _{MIN}

Gap Z_{MIN}=0